









DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET No.	TOTAL SHEETS
X	X	X	X	X	X





REGISTERED CIVIL ENGINEER	X	DATE
PLANS APPROVAL DATE		

REGISTERED PROFESSIONAL ENGINEER	X
No.	X
Exp.	X
CIVIL	
STATE OF CALIFORNIA	

The State of California or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.



- NOTES:
- Railing shall conform to horizontal and vertical alignment. Posts shall be vertical. Horizontal pipes shall be bent if radius is 150'-0" or less. May be an 8'-0" chords if radius is over 150'-0"
 - Peen all 3/8" Ø bolts
 - When railing is on slope, fabric shall be parallel to slope
 - Alternative details may be submitted by Contractor or Engineer's approval
 - All pipe carrying electrical conductors shall be rigid conduit
 - Details for RAILING TYPE 3 & 3L are similar except TYPE 3 does not have light fixtures
 - Additional PIPE 1/4 Std required on radius less than 150'-0"



STANDARD DRAWING
FILE NO. xs16-165
APPROVAL DATE July 2014

STATE OF CALIFORNIA	DIVISION OF ENGINEERING SERVICES
DEPARTMENT OF TRANSPORTATION	
BRIDGE NO. X	
POST MILE X	

X	X
CHAIN LINK RAILING TYPE 3L	